UNITED SIGNS
DIGITAL DISPLAYS

## MOBILE LED TRAILERS

Your trusted national leader in high-impact mobile LED trailers.

Amplify your business reach with our state-of-the-art, high-definition mobile trailers. We promise mobile advertising that commands the attention of your audience effortlessly and effectively.




853 S. Peachtree Street Suite, GA 30071
Website : www.unitedsigns.com
Email : info@unitedsigns.com
: +1 (800) 935-8094

# COMPANY PROFILE




**United Signs:** We are proud to be the national leader in digital signage solutions in the United States. For more than two decades, we have been offering high-end architectural signs, LED mobile trailers, electronic displays, fixtures, and services to our esteemed customers. All our displays are fixed by experts whose proficiency rate has instilled trustworthiness in clients, hence making us matchless in terms of trustworthiness and quality assurance.

**Honor:** United Signs has been at the forefront of expanding the advertising industry for more than 20 years. We are the most well-known, renowned, and acclaimed supplier of digital signage systems in the United States. And there are still miles to go, helping brands across the country achieve success in the most effective manner.

**Range of Products:** We provide cutting-edge LED digital signs, billboards, and mobile trailers for every industry and business needs. Our products come with lifetime support, parts warranty, content creation features, training support, and more.

**Why United Signs Mobile Trailers?:** Our LED mobile trailers are truly one-of-a-kind; setting new standards in the world of dynamic mobile advertising like never seen before. Our innovative, ultra-bright, and waterproof mobile trailers are ideal for any event, big or small. Every display comes with a professional technician, support for content creation, comprehensive training, and lifetime support. Clients pay a flat fee with no surprises. We also provide financing options.

**Achievements:** We have fostered long-term relationships with our customers and partners by meeting or exceeding their high expectations. We take immense pride in having earned the trust of our wide clientele for years across the United States.

**Dream:** To provide our clients with the highest quality and most innovative products and services with integrity, trust, and respect for others.

# United Signs Mobile Trailers (USMT)

## Smarter.
## Brighter. Greener.

Mobile trailer LED screens for any event, big or small. Our mobile walls have high resolutions, work in any weather, and take up little space.

Our displays make any event better, whether it's a festival, a sports game, a trade show, a fundraiser, a city event, a parade, or a concert. No matter if it's a small gathering or a national broadcast, we have the perfect screen for you.

Every display comes with a skilled LED technician who will take care of everything you need at your event. You pay a flat rate with no surprises.



# Specifications



German Brand Chassis With TUV Certificate.



Integrated power DB and controller design.




IP65: waterproof for all weather conditions.

# Specifications




Hydraulic Lifting with range upto 6.5ft.



Hydraulic folding / 330°manual rotation.



With amplifier and speakers integrated for events directly.

# Specifications

### Parts Warranty
Best in the industry 5 year factory parts warranty

### Lifetime Support
Contact our technical support team with any and all technical issues

### Lifetime Cloud
Enjoy accessing your display(s) from anywhere and anytime

### Lifetime Software
Viplex handy software included with all sign packages and displays

### Easy Assembly
Simple plug and play modular panel for easy accesibility and troubleshooting

### High Definition
Highest refresh rates in the industry with crystal clear images, text, and video content

### Extreme Brightness
Outshine the sunshine with 10,000+ nits of brightness

### Training
We provide training on all aspects of the sign from maintenance to daily use

### Content Creation
Our design team can help you create stunning templated designs

# Item no. USMT-3S Solar

| | |
|---|---|
| **Trailer Size** | 7’9”×5’10”×6’9” |
| **Screen Size** | 7’4”×4’2”, Dot Pitch: P6.6/P8/P10 |
| **Manual Lifting** | Lifting range 2’3”, screen can rotate 330 degrees |
| **Breaking** | Impact brake, electrical brake and hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Solar panel** | 3’3”x6’6”, 1PC |
| **Trailer Power** | Battery/solar panel |
| **Kinds of Play** | USB flash disk play, remote display equipped with solar panels converters and 7500AH |
| **Characteristics** | Battery, can achieve 24/7 continuous power supply for LED screen |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716800000 |



# Item no. USMT-45 Solar




| | |
|---|---|
| **Trailer Size** | 8’10”×5’10”×7’5” |
| **Screen Size** | 8’4”×4’2”, Dot Pitch: P6.6/P8/P10 |
| **Hydraulic** | Lifting range 1m, screen can rotate 330 degrees |
| **Breaking** | Impact brake, electrical brake and hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Solar Panel** | 4’6”×2’3”, 4PCS |
| **Trailer Power** | Battery/solar panel |
| **Kinds of Play** | Usb flash disk play, remote display equipped with solar panels converters and 9600AH |
| **Characteristics** | Battery, can achieve 24/7 continuous power supply for LED screen |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716800000 |

# Item no. USMT-3

| | |
|---|---|
| **Trailer Size** | 7’9”×5’10”×6’9” |
| **Screen Size** | 7’4”×4’2”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | 330° hand rotating, hydraulic lifting 1m |
| **Breaking** | Impact brake, electrical brake and hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Total Weight** | 629KG |
| **Power Parameter** | External prower supply, 220V/20A |
| **Kinds of Play** | Usb flash disk play, remote display Light, easy-to-operate, good advertising effect |
| **Characteristics** | Convenient for packing and delivery |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716800000 |






# Item no.USMT-4







| | |
|---|---|
| **Trailer Size** | 9’7”×5’10”×8’2” |
| **Screen Size** | 8’4”×5’2”, Dot Pitch: P3/P4/P5 |
| **Hydraulic** | 330° hand rotating, hydraulic lifting 1m |
| **Breaking** | Impact brake, electrical brake and hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Connector** | 1.9” ball head, 4-hole impact connector, wire brake |
| **Power Parameter** | External power supply, 220V/20A |
| **Kinds of Play** | Usb flash disk play, remote display Light, easy-to-operate, good advertising effect |
| **Characteristics** | Convenient for packing and delivery |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716800000 |

# Item no. USMT-6

| | |
|---|---|
| **Trailer Size** | 16’7”×6’2”×6’8” |
| **Screen Size** | 10’5”×6’3”, Dot Pitch: P3/P4/P5 |
| **Hydraulic** | 330° hand rotating, hydraulic lifting 1m |
| **Breaking** | Impact brake, electrical brake and hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Connector** | 1.9” ball head, 4-hole impact connector, wire brake |
| **Power Parameter** | External power supply, 220V/20A |
| **Kinds of Play** | Usb flash disk play, remote display Light, easy-to-operate, good advertising effect |
| **Characteristics** | Convenient for packing and delivery |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716800000 |



# Item no.USMT-8




| | |
|---|---|
| **Trailer Size** | 16’7”×6’2”×6’8” |
| **Screen Size** | 12’7”×7’4”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | 330° hand rotating, hydraulic lifting 4’51” |
| **Fold LED screen** | 3’1” |
| **Breaking** | Impact brake, electrical brake and hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Total Weight** | 1500KG |
| **Power Parameter** | External power supply/generator, 220V/28A |
| **Kinds of play** | Usb flash disk play, wireless remote control Light, easy to operate, good advertising effect |
| **Characteristics** | Convenient for packing and delivery |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716400000 |

# Item no. USMT-8NE

| | |
|---|---|
| **Trailer Size** | 16’7”×6’2”×6’8” |
| **Screen Size** | 12’7”×7’4”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | 330° hand rotating, hydraulic lifting 4’51” |
| **Fold LED screen** | 3’1” |
| **Breaking** | Impact brake, electrical brake and hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Total Weight** | 1650KG |
| **Battery Specifications** | 51.2V 300Ah |
| **Kinds of Play** | Usb flash disk play, wireless remote control Light,easy to operate,good advertising effect |
| **Characteristics** | Convenient for packing and delivery |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716400000 |



# Item no. USMT-12




| | |
|---|---|
| **Trailer Size** | 22’4”×6’10”×6’11” |
| **Screen Size** | 14’8”×8’4”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | Lifting Range 5’10”, bearing 3000kg |
| **Fold LED Screen** | Hydraulic screen folding system, 180° |
| **Breaking** | Impact brake, electrical brake and hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Total Weight** | 2300KG |
| **Power Parameter** | 3 phases 5 wires 208V/Inrush current 26A |
| **Kinds of Play** | Usb flash disk play, wireless remote control Super size and foldable screen, good advertising |
| **Characteristics** | Effect and convenient for packing and delivery |
| **Packing** | With customized cover |
| **Container** | 20GP |
| **HS code** | 8716400000 |

# Item no. USMT-16

| | |
|---|---|
| **Trailer Size** | 23’×6’10”×8’ |
| **Screen Size** | 16’9”x10’5”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | Lifting Range 6’78”, Rotate 360 degrees |
| **Fold LED Screen** | Hydraulic screen folding system, 180° |
| **Breaking** | Impact brake, electrical brake and hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Total Weight** | 3280KG |
| **Power Parameter** | Three phases five wires 380V/Inrush current 30A |
| **Kinds of Play** | Usb flash disk play, wireless remote control Super size and foldable screen, good advertising |
| **Characteristics** | Effect and convenient for packing and delivery |
| **Packing** | With customized cover |
| **Container** | 40HQ |
| **HS code** | 8716400000 |



# Item no. USMT-21




| | |
|---|---|
| **Trailer Size** | 24’7”×6’10”×9’8” |
| **Screen Size** | 236”×138”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | Lifting Range 6’6”, Rotate 360 degrees |
| **Fold LED Screen** | Hydraulic screen folding system, 180° |
| **Breaking** | Impact brake, electrical brake and hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Total Weight** | 3250KG |
| **Power Parameter** | Three phases five wires 415V |
| **Kinds of Play** | Usb flash disk play, wireless remote control Super size and foldable screen, good advertising |
| **Characteristics** | Effect and convenient for packing and delivery |
| **Packing** | With customized cover |
| **Container** | 40HQ |
| **HS code** | 8716400000 |

# Item no. USMT-22

| | |
|---|---|
| **Trailer Size** | 26’2”×6’10”×7’1” |
| **Screen Size** | 18’10”x12’7”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | Lifting Range 6’6”, Rotate 360 degrees |
| **Fold LED Screen** | Hydraulic screen folding system, 180° |
| **Breaking** | Impact brake, electrical brake and hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Total Weight** | 3480KG |
| **Power Parameter** | Three phases five wires 380V |
| **Kinds of Play** | Usb flash disk play, wireless remote control Super size and foldable screen, good advertising |
| **Characteristics** | Effect and convenient for packing and delivery. |
| **Packing** | With customized cover |
| **Container** | 40OT |
| **HS code** | 8716400000 |



# Item no. USMT-26




| | |
|---|---|
| **Trailer Size** | 25’11”×6’10”x9’10” |
| **Screen Size** | 21’3”×13’1”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | Lifting Range 6’6”, Rotate 360 degrees |
| **Fold LED Screen** | Hydraulic screen folding system, 180° |
| **Breaking** | Impact brake, electrical brake and hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Total Weight** | 4000KG |
| **Power Parameter** | Three phases five wires 415V |
| **Kinds of Play** | Usb flash disk play, wireless remote control Super size and foldable screen, good advertising |
| **Characteristics** | Effect and convenient for packing and delivery. |
| **Packing** | With customized cover |
| **Container** | 40OT |
| **HS code** | 8716400000 |

# Item no. USMT-21S Enclosed

| | |
|---|---|
| **Trailer size** | 24’7”×7’x10’7” |
| **Screen size** | 22’11”×9’10”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | Lifting Range 13’1”, hydraulic screen folding |
| **Supporting legs** | Stretching distance 400mm |
| **Breaking** | Hydraulic breaking, electrical breaking |
| **Module Size** | 9”(W)x9”(H) |
| **Total weight** | 3400KG |
| **Power Parameter** | Three phases five wires 415V |
| **Kinds of play** | Usb flash disk play, wireless remote control Super advertising effect; exquisite |
| **Characteristic** | interiors ; high end truck can attract more people's  attention! |
| **Packing** | Professinal packing with fixed in container |
| **Container** | 40FR |
| **HS code** | 8716400000 |



# Item no. USMT-150




| | |
|---|---|
| **Trailer Size** | 7’9”×5’10”×6’9” |
| **Screen Size** | 5’2”×3’1”, Dot Pitch: P6.6/P8/P10 |
| **Manual Lifting** | Lifting range 800mm, screen can rotate 330 degrees |
| **Solar Panel** | 6’6”x3’3”, 1PC |
| **Breaking** | Hand brake |
| **Trailer Power** | Battery/solar panel |
| **Total Weight** | 629KG |
| **Kinds of Play** | Usb flash disk play, remote display Light, easy to operate, can work automatically, |
| **Characteristics** | Does not need a generator, operates continuously |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716800000 |

# Item no. USMT-300

| | |
|---|---|
| **Trailer Size** | 7’8”×5’10”×7’5” |
| **Screen Size** | 7’6”×4’2”,Dot Pitch:P6.6/P8/P10/P16 |
| **Hydraulic** | 330° hand rotating,hydraulic lifting 1m |
| **Breaking** | Hand brake |
| **Module Size** | 10”(W)x10”(H) |
| **Solar Panel** | 4’6”×2’3”,4PCS |
| **Trailer Power** | Battery/solar panel |
| **Kinds of Play** | Usb flash disk play, remote display equipped with solar panels and converters |
| **Characteristics** | 7200AH battery, can achieve 24/7 a year continuous power supply LED screen |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716800000 |






# Item no. USMT-P50




| | |
|---|---|
| **Trailer Size** | 7’9”×5’10”×6’9” |
| **Screen Size** | 6’6”×3’11”, 5 colors variable induction screen |
| **Manual Lifting** | Lifting range 2’7”, screen can rotate 330 degrees |
| **Breaking** | Hand brake |
| **Total Weight** | 629KG |
| **Solar Panel** | 6’6”x3’3”, 1PC |
| **Trailer Power** | Battery/solar panel |
| **Kinds of Play** | Usb flash disk play, remote display Light, easy to operate, can work automatically, |
| **Characteristics** | Does not need a generator, operates continuously |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716800000 |

# Item no. USMT-300 P37.5

| | |
|---|---|
| **Trailer Size** | 7’9”×5’10”×6’9” |
| **Screen Size** | 6’6”×4’1”, 5 colors variable induction screen |
| **Manual Lifting** | Lifting range 2’7”, screen can rotate 330 degrees |
| **Breaking** | Hand brake |
| **Total Weight** | 629KG |
| **Solar Panel** | 6’6”x3’3”, 1PC |
| **Trailer Power** | Battery/solar panel |
| **Kinds of Play** | Usb flash disk play, remote display equipped with solar panels and converters |
| **Characteristics** | 7200AH battery, can achieve 24/7 a year continuous power supply LED screen |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716800000 |



# Item no. Portable Flight case USMT led screen







| | |
|---|---|
| **Flight Casesize** | 5’3”×3”×6’1” |
| **Screen Size** | 8’4”×4’8”, Dot Pitch: P1.538/P2/P2.5/P3/P4 |
| **Hydraulic Lifting** | Lifting range 3’3”, Fold at 80 degrees on both sides |
| **Cabinet Size** | 2’1”×1’6”×12PCS |
| **Total Weight** | 342KG |
| **Module Size** | 1’(W)x6”(H) |
| **Power Parameter** | Single phase 120V/220V/240V |
| **Kinds of Play** | Usb flash disk play, remote display Easy and fast to attract your target audience's eyes |
| **Characteristics** | It is a good choice for indoor/outdoor advertising promotion. |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716800000 |

# Item No. USMT-K50 II

| | |
|---|---|
| **Trailer Size** | 21’11”×5’10”×11’1” |
| **Screen Size** | 15’8”×7’10”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | Scissor type lifter, lifting range 6’6” |
| **Supporting Legs** | Stretching distance-8’2” |
| **Breaking** | Hand brake |
| **Module Size** | 1’(W)x6”(H) |
| **Total Weight** | 4800KG |
| **Power Parameter** | Three phases, five wires, 380V/415V |
| **Kinds of Play** | Usb flash disk play, remote display Super size screen, good advertising effect |
| **Characteristics** | Convenient for packing and delivery |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 40OT |
| **HS code** | 8716400000 |



# Item no. USMT4 Scooter advertising trailer




| | |
|---|---|
| **Trailer Size** | 4’11”×4’1”×6’8” |
| **Screen Size(left side)** | 3’1”×4’8”, Dot Pitch:P3/P4/P5 |
| **Screen Size(right side)** | 3’1”×4’8”, Dot Pitch: P3/P4/P5 |
| **Screen Size(rear side)** | 2’1”×4’8”, Dot Pitch: P3/P4/P5 |
| **Torsion Shaft** | 500KG 4-114.3, 1 pce |
| **Module Size** | 1’(W)x6”(H) |
| **Connector** | 1.9” ball head, 4-hole impact connector |
| **Battery Specifications** | 12V200AH, 2Pcs/4.8KWH |
| **Kinds of Play** | Usb flash disk play, remote display, easy and fast to attract your target audience's eyes. |
| **Characteristics** | It is a good choice for outdoor advertising promotion |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP |
| **HS code** | 8716800000 |

# Item no. USMT-3W1800

| | |
|---|---|
| **Brand** | United signs electric Vehicle |
| **Screen Size(left side)** | 5’2”×4’2”, Dot Pitch:P3/P4/P5 |
| **Screen Size(right side)** | 5’2”×4’2”, Dot Pitch:P3/P4/P5 |
| **Screen Size(rear side)** | 3’1”×4’2”, Dot Pitch:P3/P4/P5 |
| **Range** | 100km |
| **Module Size** | 1’(W)x6”(H) |
| **Recharger** | MEAN WELL NPB-750 |
| **Battery Specification** | 12V150AH,4PCS |
| **Kinds of Play** | Usb flash disk play, remote display Easy and fast to attract your target audience's eyes. |
| **Characteristics** | It is a good choice for outdoor advertising promotion |
| **Packing** | Nude packing with fixed-in-container |
| **Container** | 20GP/40HQ |
| **HS code** | 8705909990 |



# Item no. USMT-SD3070







| | |
|---|---|
| **Truck Size** | 16’11”×5’7”×8’7” |
| **Screen Size(left side)** | 8’4”×5’2”, Dot Pitch:P3/P4/P5 |
| **Screen Size(right side)** | 8’4”×5’2”, Dot Pitch:P3/P4/P5 |
| **Screen Size(rear side)** | 3’1”×4’8”, Dot Pitch: P3/P4/P5 |
| **Hydraulic** | Lifting range-4’11” |
| **Power Supply** | 220V/8KW Generator power |
| **Wheel Base** | 10 ft |
| **Stage** | 8’6”×3’11”×2’3” |
| **Chassis Brand** | Foton Times Xiangling V |
| **Wind Resistance** | Against level 8 wind after screen lifts up 4’11” |
| **Kinds of Play** | computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more viewers attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **Container** | 40OT |
| **HS code** | 8705909990 |

# Item no. USMT-W3360

| | |
|---|---|
| **Truck Size** | 19’8”×7’1”x10’7” |
| **Screen Size(left side)** | 11’6”×6’3”, Dot Pitch:P3/P4/P5 |
| **Screen Size(right side)** | 11’6”×6’3”, Dot Pitch: P3/P4/P5 |
| **Screen Size(rear side)** | 4’2”×4’8”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | Lifting range-1.75m |
| **Brake** | Oil brake |
| **Truck Weight** | 4495KG |
| **Wheel Base** | 11 ft |
| **Generator Power** | 16KW |
| **Chassis Brand** | Foton Ollin/DONGFENG /ISUZU |
| **Wind Resistance** | Against level 8 wind after screen lifts up 1.75m |
| **Kinds of Play** | computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more viewers attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **Container** | 40FR |
| **HS code** | 8705909990 |



# Item no. USMT-IVECO3300




| | |
|---|---|
| **Truck Size** | 19’8”×7’1”x10’5” |
| **Screen Size(left side)** | 10’5”×6’3”, Dot Pitch:P3/P4/P5 |
| **Screen Size(right side)** | 10’5”×6’3”, Dot Pitch:P3/P4/P5 |
| **Screen Size(rear side)** | 3’11”×5’6”, Dot Pitch: P3/P4/P5 |
| **Hydraulic** | Lifting range 1.75m |
| **Stage** | Hydraulic folding stage |
| **Reception Room** | Sofa, Tea table, Bar counter... |
| **Wheel Base** | 10’9” |
| **Generator Power** | 12KW |
| **Chassis Brand** | IVECO |
| **Wind Resistance** | Against level 8 wind after screen lifts up 1.75m |
| **Kinds of Play** | computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more viewers attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **Container** | 40FR |
| **HS code** | 8705909990 |

# Item no. USMT-QL3815

| | |
|---|---|
| **Truck Size** | 22’8”×7’×7’7” |
| **Screen Size(left side)** | 14’8”×7’4”, Dot Pitch:P3/P4/P5 |
| **Screen Size(right side)** | 14’8”×7’4”, Dot Pitch:P3/P4/P5 |
| **Screen Size(rear side)** | 4’2”×5’9”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | Lifting range 6’6”, Double lift system |
| **Stage** | 6’4”×9’10”, hydraulic folding stage |
| **Support Legs** | Stretch distance-11 inches |
| **Wheel Base** | 12’6” |
| **Generator Power** | 24KW silence generator group |
| **Chassis Brand** | FOTON/DONGFENG /ISUZU |
| **Wind Resistance** | Against level 8 wind after screen lifts up 6’6” |
| **Kinds of Play** | computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more peoples attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **Container** | 40FR |
| **HS code** | 8705909990 |



# Item no.USMT-3SF18




| | |
|---|---|
| **Truck Size** | 19’7”×8’×10’5” |
| **Screen Size(left side)** | 12’7”×6’3”, Dot Pitch:P3/P4/P5 |
| **Screen Size(front side)** | 6’3”×6’3”, Dot Pitch:P3/P4/P5 |
| **Screen Size(rear side)** | 12’7”x6’3”, Dot Pitch:P3/P4/P5 |
| **Hydraulic Lifting** | Led screen 90 degree hydraulic turnover cylinder |
| **Total Mass** | 4500KG |
| **Axle Base** | 10’10” |
| **Power Parameter** | Three phases, five wires 380V |
| **Generator Group** | 4’1”×2’5”×3’4”, 16KW |
| **Supporting System** | Stretching distance 11 inches, 4pcs |
| **Chassis Brand** | DF Auto |
| **Kinds of Play** | computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more peoples attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **Container** | 40FR |
| **HS code** | 8705909990 |

# Item no. USMT-3360 Bezel-less 3D truck

| | |
|---|---|
| **Truck Size** | 19'8"×7'4"×10'7" |
| **Screen Size(left side)** | 13'1"x6'6", Dot Pitch:P3/P4/P5 |
| **Screen Size(right side)** | 13'1"x6'6", Dot Pitch:P3/P4/P5 |
| **Screen Size(rear side)** | 6'6"x6'6", Dot Pitch:P3/P4/P5 |
| **Module Size** | 9"(W) x 9"(H) |
| **Unladen Mass** | 5000KG |
| **Total Mass** | 8500KG |
| **Wheel Base** | 11 ft |
| **Generator Power** | 24KW diesel generator set |
| **Chassis Brand** | FOTON AUMARK/DONGFENG /ISUZU |
| **Wind Resistance** | Against level 8 wind after screen lift up 1.75m |
| **Kinds of Play** | computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more peoples attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **Container** | 40FR |
| **HS code** | 8705909990 |



# Item no. USMT-W4800




| | |
|---|---|
| **Truck Size** | 28’7”×7’9”×13’1” |
| **Screen Size(left side)** | 17’10”×7’4”, Dot Pitch:P3/P4/P5 |
| **Screen Size(right side)** | 17’10”×7’4”, Dot Pitch: P3/P4/P5 |
| **Screen Size(rear side)** | 4’2”×5’9”, Dot Pitch: P3/P4/P5 |
| **Hydraulic** | Lifting range-2m |
| **Box Dimensions** | 20’4”×7’6”×8’6” |
| **Total Mass** | 12000KG |
| **Wheel Base** | 15’5” |
| **Generator Power** | 24KW |
| **Chassis Brand** | DF AUTO/FOTON/ISUZU |
| **Hydraulic Stage** | 19’8”×9’10” |
| **Kinds of Play** | computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more peoples attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **Container** | 40FR |
| **HS code** | 8705909990 |

# Item no. USMT-YZD22

| | |
|---|---|
| **Truck Size** | 27’5”x7’9”×13’1” |
| **Screen Size** | 18’10”x12’7”, Dot Pitch:P3/P4/P5 |
| **Hydraulic** | Screen can be lifted up 2m and rotate 360° |
| **Folding Screen** | 180 degree flip |
| **Generator Power** | 24KW diesel generator set |
| **Chassis Brand** | Foton Ollin |
| **Total Mass** | 10000KG |
| **Axle Base** | 15’5” |
| **Kinds of Play** | computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more peoples attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **Container** | 40FR |
| **HS code** | 8705909990 |



# Item no. USMT-YZD33 double-sided




| | |
|---|---|
| **Truck Body Size** | 20’10”×7’4”×13’4” |
| **Screen Size(left side)** | 18’10”×9’5”, Dot Pitch:P3/P4/P5 |
| **Screen Size(rear side)** | 18’10’×9’5”, Dot Pitch:P3/P4/P5 |
| **Input Voltage** | Three phases five wires 380V |
| **Output Voltage** | 220V |
| **Hydraulic Lifting** | Lifting Range 6’6”, bearing 5000kgs |
| **Rotating System** | Screen can rotate 360 degrees |
| **Supporting System** | Stretching distance 11”, 4pcs |
| **Generator Group** | 7’2”×2’11”×39’4”,30KW |
| **Video Processor** | NOVA, VX400 |
| **Power Amplifier** | Power output: 500W |
| **Speaker** | Max power consumption:120W*4 |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more peoples attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **Container** | 40FR |
| **HS code** | 8705909990 |

# Item no. USMT-W3360 led truck body

| | |
|---|---|
| **Truck Body Size** | 15’×7’3”×10’5” |
| **Total Weight** | 2500KG |
| **Power** | 20KW diesel generator set |
| **Generator Size** | 6’9”×3’×3’9” |
| **Screen Size(left side)** | 12’7”×6’3”, Dot Pitch:P3/P4/P5/P6 |
| **Screen Size(rear side)** | 12’7”×6’3”, Dot Pitch: P3/P4/P5/P6 |
| **Screen Size(front side)** | 4’2”×5’9”, Dot Pitch:P3/P4/P5/P6 |
| **Module Size** | 1’(W)x6”(H) |
| **Video Processor** | Nova, TB60-4G |
| **Speaker** | 100W, 4pcs |
| **Power Amplifier** | 500W |
| **Kinds Of Play** | Computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more peoples attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **Container** | 40HQ |
| **HS code** | 8707909000 |



# Item no. USMT-3SF18 LED TRUCK BODY




| | |
|---|---|
| **Input Voltage** | Three phases five wires 380V |
| **Output Voltage** | 220V |
| **Hydraulic Lifting** | Led screen 90 degree hydraulic turnover cylinder |
| **Generator Group** | 4'1"×2'5"×3'4", 16KW |
| **Screen Size(left side)** | 12'7"×6'3", Dot Pitch:P3/P4/P5 |
| **Screen Size(rear side)** | 12'7"×6'3", Dot Pitch:P3/P4/P5 |
| **Screen Size(front side)** | 6'3"×6'3", Dot Pitch:P3/P4/P5 |
| **Module Size** | 1ft(W)x1ft(H) |
| **Supporting System** | Stretching distance 11 inches, 4pcs |
| **Power Amplifier** | Power output:500W |
| **Video Processor** | NOVA, VX400 |
| **Speaker** | Max power consumption:120W*4 |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more peoples attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **Container** | 20FR |
| **HS code** | 8707909000 |

# Item no. USMT-4800 LED TRUCK BODY

| | |
|---|---|
| **Truck Body Size** | 28’7” × 7’9” × 11’9” |
| **Total Mass** | 11695KG |
| **Screen Size(left side)** | 17’10” x 7’10”, Dot Pitch:P3/P4/P5 |
| **Screen Size(rear side)** | 17’10” x 7’10”, Dot Pitch:P3/P4/P5 |
| **Screen Size(front side)** | 4’2” × 5’9”, Dot Pitch:P3/P4/P5 |
| **Input Voltage** | Three-phase five-wire 380V |
| **Output Voltage** | 220V |
| **Video Processor** | Nova, VX600+TB50-4G |
| **Hydraulic Lifting** | 6’6”,double side lift |
| **Wind Resistance** | Against level 8 wind after screen lift up 2m |
| **Generator Set** | 4’11” x 2’6” x 3’7”,24KW |
| **Kinds Of Play** | Computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more peoples attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **Container** | 40FR |
| **HS code** | 8707909000 |



# Item no. USMT-TW9600




| | |
|---|---|
| **Truck Size** | 39’4”×8’4”×12’8” |
| **Box Dimension** | 31’5”×7’10”×8’2” |
| **Screen Size** | 24’1”×7’10”, Dot Pitch:P3/P4/P5/P6 |
| **Side Copy Flip Cylinder** | 90-degree flip |
| **Lighting Bracket** | Custom type |
| **Hydraulic** | Roof lifting range 2m, screen lifting 1.5m |
| **Stage Plate** | 32’9”×7’10” |
| **Truck Weight** | 20005KG |
| **Wheel Base** | 6’6”+17’10” |
| **Generator Power** | 16KW |
| **Chassis Brand** | Foton Aumark |
| **Wind Resistance** | Against level 8 wind after screen lift up 1.5m |
| **Kinds Of Play** | Computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more peoples attention! |
| **Packing** | roll-on-roll-off ship |
| **HS code** | 8705909990 |

# Item no. USMT-9600

| | |
|---|---|
| **Truck Body Size** | 37’2” × 7’8” × 12’2” |
| **Total Mass** | 25000KG |
| **Screen Size** | 26’2” x 6’6”, Dot Pitch:P3/P4/P5/P6 |
| **Module Size** | 1’(W) x 6”(H) |
| **Chassis Brand** | FOTON |
| **Cargo box Dimension** | 31’5” × 7’10” × 8’2” |
| **Generator Power** | 24KW diesel generator set |
| **Player System** | Nova |
| **Hydraulic Lifting** | 2 pcs travel 6’6” |
| **Stage Size** | (26’2”+6’6”) × 9’10”, double fold stage |
| **The Ladder** | 3’3” wide*2 pcs |
| **Kinds Of Play** | Computer display |
| **Container** | roll-on-roll-off ship |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more peoples attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **HS code** | 8705909990 |



# Item no.USMT-C40




| | |
|---|---|
| **Truck Size** | 41’×8’4”×12’7” |
| **Screen Size** | 26’2”×16’9”, Dot Pitch:P3/P4/P5/P6 |
| **Hydraulic Lifting** | Lifting Range 16’4”,bearing 12T |
| **Hydraulic Folding** | Screen can fold 180 degrees |
| **Hydraulic Rotating** | Screen can rotate 360degrees |
| **Stage Plate** | 32’9”×9’10”×3’7” |
| **Truck Weight** | 15000KG |
| **Numbers of Axles** | 2pcs or 3pcs 45KW |
| **Generator Power** | 45KW |
| **Chassis Brand** | Foton Aumark |
| **Wind Resistance** | Against level 8 wind after screen lift up 5m |
| **Kinds Of Play** | Computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more viewers attention! |
| **Packing** | roll-on-roll-off ship |
| **HS code** | 8705909990 |

# Item no. USMT-45S CONTAINER

| | |
|---|---|
| **Truck Size** | 26’2”×8’×8’6” |
| **Screen Size** | 29’6”×16’4”, Dot Pitch:P3/P4/P5 |
| **Hydraulic Lifting System** | Lifting Range 16’4”,bearing 10T |
| **Exterior Decoration** | Bee cochlea board |
| **Interior Decoration** | Aluminum plastic board |
| **Hydraulic Support Legs** | 4 legs |
| **Total Mass** | 10000KG |
| **Input Voltage** | 380V |
| **Hydraulic Rotary Support** | Hydraulic motor + Rotary mechanism |
| **Kinds Of Play** | Computer display |
| **Characteristics** | Super advertising effect; exquisite interiors; high end truck can attract more peoples attention! |
| **Packing** | Professinal packing with fixed-in-container |
| **HS code** | 8705909990 |
| **Container** | 40FR |

